

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)



09/890387

PCT/EP 00/00559

The
Patent
Office

REC'D	15 MAR 2000
WIPO	PCT

INVESTOR IN PEOPLE

PRIORITY DOCUMENT
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH
RULE 17.1(a) OR (b)

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

EP00/559

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed *AmBrewer*

Dated 17 January 2000

THIS PAGE BLANK (USPTO)

Your Reference:

Notes

Please type, or write in dark ink using CAPITAL letters. A prescribed fee is payable for a request for grant of a patent. For details, please contact the Patent Office (telephone 071-483 4700).

Rule 16 of the Patents Rules 1990 is the main rule governing the completion and filing of this form.

Do not give trading styles, for example, 'Trading as XYZ company', nationality or former names, for example, 'formerly (known as) ABC Ltd' as these are not required.

Warning

After an application for a Patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977 and will inform the applicant if such prohibition or restriction is necessary. Applicants resident in the United Kingdom are also reminded that under Section 23, applications may not be filed abroad without written permission unless an application has been filed not less than 6 weeks previously in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction revoked.

The Patent Office

Request for grant of a

Patent

Form 1/77

Patents Act 1977

THE PATENT OFFICE

- 2 FEB 1986

RECEIVED BY POST

Title of invention

Container

Applicant's details

First or only applicant...

9902138.8

2a If you are applying as a corporate body please give:
Corporate Name

SmithKline Beecham p.l.c.

Country (and State of incorporation, if appropriate) **United Kingdom**

2b If you are applying as an individual or one of a partnership please give in full:

Surname

Forenames

2c In all cases, please give the following details:

Address: New Horizons Court, Brentford Middlesex
TW8 9EP

(if applicable)

Country (if known) **England**
ADP Number

0.00 71231005
05800974003

2d, 2e and 2f: If there are further applicants please provide details on a separate sheet of paper

Second applicant (if any)

2d If you are applying as a corporate body please give:

Corporate Name

Country (and State Of Incorporation, if appropriate)

2e If you are applying as an individual or one of a partnership please give in full:

Surname:

Forenames:

2f In all cases, please give the following details:

Address
ADP number

An address for service in the United Kingdom must be supplied

Please mark correct box.

Address for service details

3a Have you appointed an agent to deal with your application?

Yes No go to 3b

please give details below

Agent's name Ralph Francis Walker
Agent's address: SmithKline Beecham
Corporate Intellectual Property
New Horizons Court (2NHC/1)
Brentford
Middlesex, England

Postcode TW8 9EP
Agent's ADP number

02374602007

04471231005

3b: If you have appointed an agent, all correspondence concerning your application will be sent to the agent's United Kingdom address.

3b If you have not appointed an agent please give a name and address in the United Kingdom to which all correspondence will be sent:

Name:

Address

Postcode

ADP number
(if known)

Daytime telephone
number (if available)

RFW/EB/C70376

4. Agent's or applicant's reference number (if applicable)

Please mark correct box

? Claiming an earlier application date

5. Are you claiming that this application be treated as having been filed on the date of filing of an earlier application? Yes

go to 6

please give details below

number of earlier
application or patent
number

filing date

(day month year)

and the Section of the Patents Act 1977 under which you are claiming:

15(4) (Divisional) ○

8(3) ○

12(6) O

37(4) ○

Declaration of priority

6. If you are declaring priority from previous application(s), please give:

Country of Filing

Priority application number
(if known)

Filing Date
(day, month, year)

If you are declaring priority from a PCT Application please enter 'PCT' as the country and enter the country

code (for example, GB) as part of the application number

Please give the date in all number format, for example, 31/05/90 for 31 May 1990

Inventorship

- any applicant is not an inventor
- there is an inventor who is not
- an applicant, or
- any applicant is a corporate body.

Please supply duplicates of claim(s),
abstract, description and drawings).

7. Are you (the applicant or applicants) the sole inventor or the joint inventors?

Please mark correct box

Yes No *A Statement of Inventorship, on Patents
form 7/77 will need to be filed (see Rule 15).).*

Checklist

8a Please fill in the number of sheets for each of the following types of document contained in this application

2

Claims

4

Specification

4

Abstract

Drawing(s)

1

*unformed amendment with Dr Walker
standby
2.2.99*

8b Which of the following documents also accompanies the application?

Priority documents (please state how many)

-

Translation(s) of Priority documents (please state how many)

-

Patents Form 7/77 - Statement of Inventorship and Right to Grant

-

Patents Form 9/77 - Preliminary Examination Report

-

Patents Form 10/77 - Request for Substantive Examination

-

Please mark correct box(es)

You or your appointed agent (see
Rule 90 of the Patents Rules 1990)
must sign this request.

Please sign here

Request

I/We request the grant of a patent on the basis of this application.

Signed

Ralph Walker

Dated 1 February, 1999

Ralph Francis Walker

Agent for the Applicant

Please return the completed form, attachments and duplicates where
requested, together with the prescribed fee to either;

*The Comptrolleror
The Patent Office
Cardiff Road
Newport
Gwent
NP9 1RH*

*The Comptroller
The Patent Office
25 Southampton Buildings
London
WC2A 1AY*

Container

This invention relates to containers and in particular to containers with plastics material walls whose contents can undesirably leach through the container walls or
5 which are sensitive to ingress of material through the container walls.

Plastics containers are commonly used to contain medicaments. If a label is applied to the outer wall of such a container the adhesive which binds the label onto the container surface or alternatively the printing ink which is used when information is
10 printed directly onto the container surface may permeate through the wall thereby contaminating the contents of the container, potentially leading to harmful effects. When the content of the container is a medicament, it may be necessary to conduct a clinical trial of any new labelling material applied to the container wall so as to ensure that the medicament is not compromised by any aspect of the packaging,
15 including the properties of the adhesive and printing inks. New adhesives, printing inks or plastics materials may have to be sought which do not give rise to the problem discussed above, although this approach is both time consuming and expensive, particularly if clinical trials are required to prove that the new adhesive or ink does not cause contamination of the contents. Conversely the contents of
20 such a plastic walled container may seep through the walls and may have a deleterious effect on a label on the outer surface of the container e.g. causing a label fixed by adhesive to become detached or to discolour the printing ink.

It is an object of the present invention to at least partly provide a solution to the
25 problem of how to prevent contamination arising from ingress through the container wall of contaminants such as adhesives or printing ink(s).

According to a first aspect of this invention a container is provided having a body defined by a container wall, at least part of the wall comprising spaced apart inner
30 and outer walls, a label being located on the outer surface of the outer wall.

The arrangement of the invention enables the contents of the container to be directly enshrouded by a wall, being in contact with the inner surface of the wall, yet not being vulnerable to contamination by the adhesive or printing ink of the label, whether attached by adhesive or directly printed on the outer surface of the

5 container wall, should this permeate through the wall. Consequently the adhesive or ink cannot contaminate the contents by penetration of the wall, and vice versa the content cannot penetrate the wall and affect the label.

In a first embodiment the outer wall of the container may comprise a skirt portion

10 spaced apart from the inner wall and this skirt portion may be an upper skirt for example surrounding an inner wall. In this embodiment the inner wall may comprise the upper part of the body and may include the mouth opening of the container.

15 In a second embodiment the skirt portion may be a lower skirt surrounding the bottom of the container body.

In another aspect the invention provides a container defined by a container wall at least part of the container wall comprising spaced apart inner and outer walls

20 wherein the outer wall is in the form of an upper skirt portion surrounding an inner wall and the inner wall defines the rim of the mouth opening of the container.

The upper or lower skirt portion may have a label fixed to its outer surface by adhesive or alternatively information may be printed directly onto the skirt portion.

25 The abovementioned upper and lower skirts may depend from a part of the body wall which directly enshrouds the contents of the container i.e. so that the contents of the container are in direct contact with the inner surface of this part of the body wall, but are not in contact with the inner surface of the upper and/or lower skirt portion.

30

The container may be made of entirely conventional plastics material for example polyethylene, polyethyleneterephthalate etc. The container may be of any shape

appropriate for its intended use for example generally cylindrical, which term includes container of oval cross section with a flat or curved bottom surface and may for example be a bottle. When the container is of generally cylindrical shape, then the upper and lower skirts may also be of generally cylindrical shape e.g. of substantially the same cross sectional shape as the container. When the container is provided with upper or lower skirts these may be made integrally with the container body or may be separately fitted to the container body, for example by adhesive, welding or a physical connection such as a snap fit. The container may be in the form of a squeezable bottle.

10 The container may be otherwise generally conventional and also provided with a suitable closure means for its mouth opening such as a snap fit or screw threaded cap. The container may further comprise delivery means to deliver fluid contents to for example a nozzle, comprised by the mouth opening of the container, such as a feed tube leading from the mouth opening to the vicinity of the bottom of the container. In this embodiment the bottom is preferably convex relative to the interior with the end of the feed tube in the vicinity of the bottom of the convexity. When provided with a bottom of this convex shape a lower skirt may surround the convex bottom. The term "convex" used herein includes generally hemispherical or conical shapes.

20 The container may be made by conventional methods such as blow moulding or injection moulding. Another aspect of the invention provides moulds for making containers of the present invention and furthermore a process e.g. an injection moulding or blow moulding process using such moulds for making the container of the invention.

25 The present invention also provides a method of labelling a container having a wall material which is permeable to a label material and/or to its contents wherein a label is applied to an outer wall by means of adhesive or may be printed directly thereon.

30 The container will now be described by way of example only with reference to the accompanying drawing in which Fig.1 shows a part longitudinal section of a


container of the invention. Referring to Fig.1, a container of this invention comprises a bottle-shaped container 1 of generally cylindrical shape with a generally conical bottom with its concave site toward the interior of the container, defined by a container wall 2. The container 1 is provided with pairs of spaced apart inner and outer walls, being a lower pair, 3, 4 and an upper pair 5, 6. The outer wall of each of these pairs 3,4 and 5,6 respectively is in the form of a lower skirt portion 7 and an upper skirt portion 8. The lower skirt portion 7 depends from the container wall 2 and surrounds the conical bottom of the container 1. This conical bottom consequently comprises the inner wall 3. A label 9 is attached by adhesive to the outer surface of the outer wall 4. An upper skirt portion 8 extends from the container wall 2 and may also have a label 9 applied to it. Liquid contents 10 are within the container wall 2. By locating the label 9 only on the outer wall 4 of the lower skirt 7 and/or the upper skirt 8 not on an outer surface of the container wall 2 of which the inner surface of the inner wall 3 is in contact with the contents 10, the liquid contents 10 and label 9 are consequently not facing each other on opposite sides of the same region of container wall 2. Therefore adhesive from the label 9 cannot leach through the container wall 2 and contaminate the contents 10 and vice versa the contents 10 cannot leak through container wall and affect the label 9. The lower skirt portion 7 is made integrally with the container wall 2. The upper skirt portion 11 is made separately and is fitted to the upper part of the container wall 2 by a snap fit fitting at 11. The upper skirt 8 may alternatively be made separately and fitted to the container 1 or the lower skirt 7 may be made integrally with the container 1. The container 1 is provided with a mouth opening 12 which has a rim by the upper part of the inner wall 5 of the container wall 2. The container 1 is also provided with a delivery means 13 (generally) comprising a nozzle 14 and a feed tube 15. The nozzle 14 fits tightly onto the mouth opening 12 of the container by a snap fitting. The feed tube 15 reaches down toward the lowest part of the conical bottom of the container and feeds liquid to the nozzle 14 from the body 1 in a known manner for example via a pump mechanism (not shown) or by making the container wall of compressible material and squeezing the container.

Claims

1. A container defined by a container wall at least part of the wall comprising spaced apart inner and outer walls wherein a label is located on the outer surface of the outer wall.
5
2. A container according to claim 1 wherein the outer wall comprises a skirt portion spaced apart from the inner wall.
- 10 3. A container according to claim 2 wherein the skirt portion is an upper skirt.
4. A container according to claim 2 wherein the skirt portion is a lower skirt.
5. A container defined by a container wall, at least part of the container wall comprising spaced apart inner and outer walls wherein the outer wall is in the form of an upper skirt portion surrounding the inner wall and the inner wall defines the rim of a mouth opening of the container.
15
6. A container according to claim 5 wherein the skirt portion further comprises a label.
20
7. A container according to any one of claims 1 to 6 wherein the said container is in the form of a squeezable bottle.
- 25 8. A container according to any one of claims 1 to 7 wherein the container comprises a delivery means to deliver fluid contents from the mouth opening to the vicinity of the bottom of the container.
9. A mould for making a container as defined herein.
30
10. A method of labelling a container said container having a wall material which is permeable to a label material and/or to its contents wherein the

label is applied to an outer wall by means of adhesive or may be printed directly thereon.

FIGURE 1



THIS PAGE BLANK (USPTO)